

PTO
09/696708
10/27/00

FEE TRANSMITTAL for FY 2001

Patent fees are subject to annual revision.

TOTAL AMOUNT OF PAYMENT (\$ 418.00

Complete if Known

Application Number	NA
Filing Date	10/27/2000
First Named Inventor	Srihari Kumar et al.
Examiner Name	Unknown
Group Art Unit	Unknown
Attorney Docket No.	P3937

METHOD OF PAYMENT

1. ☐ The Commissioner is hereby authorized to charge indicated fees and credit any overpayments to

Deposit Account Number

Deposit Account Name

☐ Charge Any Additional Fee Required Under 37 CFR 1.16 and 1.17

☒ Applicant claims small entity status. See 37 CFR 1.27

2. ☒ Payment Enclosed:

☒ Check ☐ Credit card ☐ Money Order ☐ Other

FEE CALCULATION

1. BASIC FILING FEE

Large Entity Fee Code (\$)	Small Entity Fee Code (\$)	Fee Description	Fee Paid
101 710	201 355	Utility filing fee	355.00
106 320	206 160	Design filing fee	
107 490	207 245	Plant filing fee	
108 710	208 355	Reissue filing fee	
114 150	214 75	Provisional filing fee	

SUBTOTAL (1) (\$ 355.00

2. EXTRA CLAIM FEES

Total Claims	Extra Claims	Fee from below	Fee Paid
27	-20** = 7	9	63.00
3	-3** = 0	40	0.00
Multiple Dependent			0.00

Large Entity Fee Code (\$)	Small Entity Fee Code (\$)	Fee Description
103 18	203 9	Claims in excess of 20
102 80	202 40	Independent claims in excess of 3
104 270	204 135	Multiple dependent claim, if not paid
109 80	209 40	** Reissue independent claims over original patent
110 18	210 9	** Reissue claims in excess of 20 and over original patent

SUBTOTAL (2) (\$ 63.00

**or number previously paid, if greater; For Reissues, see above

FEE CALCULATION (continued)

3. ADDITIONAL FEES


Large Entity Fee Code (\$)	Small Entity Fee Code (\$)	Fee Description	Fee Paid
105 130	205 65	Surcharge - late filing fee or oath	
127 50	227 25	Surcharge - late provisional filing fee or cover sheet	
139 130	139 130	Non-English specification	
147 2,520	147 2,520	For filing a request for ex parte reexamination	
112 920*	112 920*	Requesting publication of SIR prior to Examiner action	
113 1,840*	113 1,840*	Requesting publication of SIR after Examiner action	
115 110	215 55	Extension for reply within first month	
116 390	216 195	Extension for reply within second month	
117 890	217 445	Extension for reply within third month	
118 1,390	218 695	Extension for reply within fourth month	
128 1,890	228 945	Extension for reply within fifth month	
119 310	219 155	Notice of Appeal	
120 310	220 155	Filing a brief in support of an appeal	
121 270	221 135	Request for oral hearing	
138 1,510	138 1,510	Petition to institute a public use proceeding	
140 110	240 55	Petition to revive - unavoidable	
141 1,240	241 620	Petition to revive - unintentional	
142 1,240	242 620	Utility issue fee (or reissue)	
143 440	243 220	Design issue fee	
144 600	244 300	Plant issue fee	
122 130	122 130	Petitions to the Commissioner	
123 50	123 50	Petitions related to provisional applications	
126 240	126 240	Submission of Information Disclosure Stmt	
581 40	581 40	Recording each patent assignment per property (times number of properties)	
146 710	246 355	Filing a submission after final rejection (37 CFR § 1.129(a))	
149 710	249 355	For each additional invention to be examined (37 CFR § 1.129(b))	
179 710	279 355	Request for Continued Examination (RCE)	
169 900	169 900	Request for expedited examination of a design application	

Other fee (specify) _____

*Reduced by Basic Filing Fee Paid

SUBTOTAL (3) (\$ 0.00

SUBMITTED BY

Name (Print/Type)	Donald B. Boys	Registration No. (Attorney/Agent)	35,074	Telephone	(831) 726-1457
Signature		Date	10/27/2000		

WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

**VERIFIED STATEMENT CLAIMING SMALL ENTITY STATUS
(37 CFR 1.9(f) & 1.27(c))--SMALL BUSINESS CONCERN**

Docket Number (Optional)
P3937

Applicant or Patentee: Srihari Kumar et al.

Application or Patent No.: NA

Filed or Issued: NA

Title: Interactive Activity Interface for Managing Personal Data and Performing Transactions Over a Data Packet Network

I hereby declare that I am

- ☐ the owner of the small business concern identified below:
☒ an official of the small business concern empowered to act on behalf of the concern identified below:

NAME OF SMALL BUSINESS CONCERN Yodlee.com, Inc.

ADDRESS OF SMALL BUSINESS CONCERN 3600 Bridge Parkway, 2nd Floor, Redwood Shores, CA 94065

I hereby declare that the above identified small business concern qualifies as a small business concern as defined in 37 CFR 121.12, and reproduced in 37 CFR 1.9(d), for purposes of paying reduced fees to the United States Patent and Trademark Office, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time, part-time, or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both.

I hereby declare that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the invention described in:

- ☒ the specification filed herewith with title as listed above.
☐ the application identified above.
☐ the patent identified above.

If the rights held by the above identified small business concern are not exclusive, each individual, concern, or organization having rights in the invention must file separate verified statements averring to their status as small entities, and no rights to the invention are held by any person, other than the inventor, who would not qualify as an independent inventor under 37 CFR 1.9(c) if that person made the invention, or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d), or a nonprofit organization under 37 CFR 1.9(e).

- Each person, concern, or organization having any rights in the invention is listed below:
☒ no such person, concern, or organization exists.
☐ each such person, concern, or organization is listed below.

Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

NAME OF PERSON SIGNING P. Venkat Rangan

TITLE OF PERSON IF OTHER THAN OWNER C.T.O

ADDRESS OF PERSON SIGNING 3600 Bridge Parkway, 2nd Floor, Redwood Shores, CA 94065

SIGNATURE _____ DATE _____

Certificate of Express Mailing

"Express Mail" Mailing Label Number: EL573445239US

Date of Deposit: 10/27/2000

Ref: Case Docket No.: P3937

First Named Inventor: Srihari Kumar et al.

Serial Number: NA

Filing Date: 10/27/2000

Title of Case: Interactive Activity Interface for Managing Personal Data and Performing Transactions Over a Data Packet Network

I hereby certify that the attached papers are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. 1.10 on the date indicated above and addressed to the Commissioner of Patents and Trademarks, Washington D.C. 20231

1. Utility patent application transmittal.
2. 73 sheets of specification.
3. 15 sheets of drawings.
4. Fee transmittal.
5. Duplicate fee transmittal.
6. Declaration and Power of Attorney.
7. Verified Statement Claiming Small Entity.
8. Check for fees in the amount of \$418.00.
9. Certificate of express mailing.
10. Postcard listing contents.

Mark A. Boys

(Typed or printed name of person mailing paper or fee)


(Signature of person mailing papers or fee)

002201" 80235960

**Interactive Activity Interface for Managing Personal Data and
Performing Transactions Over a Data Packet Network**

by inventor(s)

*Srihari Kumar, Satyen Desai, John Kelley, Blake Hayward, Jenny Scott,
Senthil Pandurangan*

Field of the Invention

The present invention is in the field of Internet navigation including various communication means and connection technologies. The present invention pertains more particularly to an interactive software interface suite for enabling management and transactional control of personal data including account data maintained on behalf of users by an entity providing data compilation, aggregation, and summary services.

Cross-Reference to Related Documents

The present invention is a continuation in part (CIP) to patent application S/N 09/425,626 entitled "***Method and Apparatus for Providing Calculated and Solution-Oriented Personalized Summary-Reports to a User through a Single User-Interface***" filed on 10/22/99, which is a CIP to a patent application S/N 09/323,598 entitled "***Method and Apparatus for Obtaining and Presenting WEB Summaries to Users***" filed on 6/01/99, which is a CIP to patent application S/N 09/208,740 entitled "***Method and Apparatus for Providing and Maintaining a User-Interactive Portal System Accessible via Internet or other Switched-Packet-Network***" filed

on 12/08/98, disclosures of which are incorporated herein in their entirety by inclusion and reference.

5

Background of the Invention

The information network known as the World Wide Web (WWW), which is a subset of the well-known Internet, is arguably the most complete source of publicly accessible information available. Anyone with a suitable Internet appliance such as a personal computer with a standard Internet connection may access (go on-line) and navigate to information pages (termed web pages) stored on Internet-connected servers for the purpose of garnering information and initiating transactions with hosts of such servers and pages.

10

15

Many companies offer various subscription services accessible via the Internet. For example, many people now do their banking, stock trading, shopping, and so forth from the comfort of their own homes via Internet access. Typically, a user, through subscription, has access to personalized and secure WEB pages for such functions. By typing in a user name and a password or other personal identification code, a user may obtain information, initiate transactions, buy stock, and accomplish a myriad of other tasks.

20

25

One problem that is encountered by an individual who has several or many such subscriptions to Internet-brokered services is that there are invariably many passwords and/or log-in codes to be used. Often a same password or code cannot be used for every service, as the password or code may already be taken by another user. A user may not wish to supply a code unique to the user such as perhaps a social security number because of

Another issue that can plague a user who has many passworded subscriptions is the fact that they must bookmark many WEB pages in a computer cache so that they may quickly find and access the various services. For example, in order to reserve and pay for airline travel, a user must connect to the Internet, go to his/her book-marks file and select an airline page. The user then has to enter a user name and password, and follow on-screen instructions once the page is delivered. If the user wishes to purchase tickets from the WEB site, and wishes to transfer funds from an on-line banking service, the user must also look for and select the personal bank or account page to initiate a funds transfer for the tickets. Different user names and passwords may be required to access these other pages, and things get quite complicated.

20 A service known to the inventor and described in patent application
S/N 09/208,740 entitled "*Method and Apparatus for Providing and
Maintaining a User-Interactive Portal System Accessible via Internet or
other Switched-Packet-Network*", provides a WEB service that allows a
user to store all of his password protected pages in one location such that
25 browsing and garnering information from them is much simplified. A feature
of the above service allows a user to program certain tasks into the system
such that requested tasks are executed by an agent (software) based on user
instruction. The service stores user password and log-in information and

uses the information to log-in to the user's sites, thus enabling the user to navigate without having to manually input log-in or password codes to gain access to the links.

The above-described service uses a server to present a user-personalized application that may be displayed as an interactive home page that contains all of his listed sites (hyperlinks) for easy navigation. The application lists the user's URL's in the form of hyperlinks such that a user may click on a hyperlink and navigate to the page wherein login, if required, is automatic, and transparent to the user.

The application described above also includes a software agent that may be programmed to perform scheduled tasks for the user including returning specific summaries and updates about user-account pages. A search function is provided and adapted to cooperate with the software agent to search user-entered URL's for specific content if such pages are cached somewhere in their presentable form such as at the portal server, or on the client's machine.

In addition to the features described above, patent application S/N 09/523,598 entitled "*Method and Apparatus for Obtaining and Presenting WEB Summaries to Users*" describes a software agent used in conjunction with a search function that is enabled to navigate to any URL or group of URL's, provided as input by a user or otherwise deemed appropriate by the service provider, for the purpose of providing summary information regarding updated content for each URL, which may be presented as an HTML information-page to the user.

The above described service uses known site logic for navigating to specific "chunks" of data contained in Web pages at the site. Logic scripts are prepared by knowledge workers operating on behalf of users. With such

scripts, gatherer agents may navigate directly to data portions that users are interested in.

Users who subscribe to many on-line services generally do all of their banking, investing, travel arranging, shopping, and so on while on-line with the Internet. Having all of his or her services available at one portal provides a convenience to a user in not having to remember a plurality of passwords, or to be required to physically log-on to each site. Similarly, the ability to obtain summary data associated with selected sites through one interface allows a user to greatly speed any decision making process related to his or her on-line activity. However, summary information may not help a user with certain other concerns. For example, obtaining accurate financial information concerning his entire portfolio of banking and investments would require much user calculation depending on the exact nature of the result desired. Similarly compiling a trend that reflects a user's on-line activity at a plurality of shopping services may also require considerable calculation to be performed by a user. Summary data presented in the above methods is general in nature and reflects such as updates, status of orders, and the like.

An Internet-connected portal system, known to the inventor, has a data repository, a data-gathering system, a request processor, a plurality of report algorithms, and a report processor. The request processor receives a request from a user and matches the request to an individual one of the report algorithms. The data-gathering subsystem accesses plural Internet sites associated with the user and extracts raw data therefrom according to needs of the report algorithm. The report processor processes the raw data according to the report algorithm into meta-summarized information defined by the report algorithm, and the portal system transmits the meta-summarized information as a report to a destination associated with the

report request. In some cases there is an aggregated-data database in the data repository storing aggregated data retrieved for specific users periodically, and the request processor checks the aggregated-data database for needed data before requiring the data-gathering system to retrieve data from the associated Internet sites. In the instance that the needed data is stored in the aggregated-data database, the report is prepared from the aggregated data. Reports may be presented in a form such as to include text and graphic formats.

In view of various functional enhancements including the ability to provide calculative and solution-oriented reporting, it has occurred to the inventor that a single interface, through which summary and detailed data may be viewed and manipulated must be provided that is user-friendly, compact and interlinked in terms of request-to-result functionality wherein access and request actions may be performed by working within any category or department of data that may be available to be viewed through the interface. Current and prior-art interactive interface software used with typical data presentation services lacks the flexibility of providing multiple points of intractability within the interface as well as enabling cross-solution implementation across multiple categories of data viewable through the interface.

The above challenges exist with prior-art services in part because they lack much of the interactive capability required in order to enable a fully functional data interface, especially one that interfaces a user with a wide range of disparate data categories.

What is clearly needed is a single, interactive software interface for viewing pluralities of data categories and enabling action requests to be performed from within any one of the multiple data categories. A software interface such as this would greatly convenience users who must interact

with a plurality of on-line services in order to effect and propagate on-line business activity related to their financial, employment, travel, recreational, and social activities and engagements.

5

Summary of the Invention

10 In a preferred embodiment of the present invention, a software suite is provided for enabling viewing and manipulation of multiple categories of aggregated data compiled from a plurality of data sources and accessible through a single interface operated on a data-packet-network, the data sources available for direct network-access through multiple access points
15 provided within the interface.

The software suite comprises, a calendar module having at least one display interface for enabling viewing and manipulation of time and date-sensitive calendar data, a transaction module having at least one display interface for enabling viewing and manipulation of financially oriented
20 account data, a portfolio tracking module having at least one display interface for enabling viewing and manipulation of investment oriented account data, a net-worth reporting module having at least one display interface for displaying a solution-oriented net-worth report compiled from the aggregated data, a bill-payment module having at least one display
25 interface for enabling viewing and initiation of payment action regarding current billing data and an account-alert module having at least one display interface for reporting time and event sensitive account alerts related to

5

10

15

20

25

capability extended through a single interface operated on a data-packet-network is provided. The control system comprises, a portal server operating on the network for enabling user-access to the system through the single interface, the single interface having a plurality of control and report modules for controlling categorization, viewing, reporting and manipulation aspects of the aggregated data, a mass data repository for storing the aggregated data, a database reporting software for accepting input from the software interface through individual ones of the control and report modules and for performing calculations, manipulations, and ordering transactions based on the received input and, a user-access device connected to the network for accessing the portal server and receiving the single interface.

In a preferred embodiment, the control system is implemented on the Internet network. The network-based control system further comprises multiple points of direct network-access to the plurality of data sources embedded into interfaces invoked by individual ones of the control and report modules. In preferred aspects, the aggregated data is personalized to an accessing user and limited to display in a personalized interface. Also in a preferred aspect, the multiple points of direct network access comprise embedded URLs. In all aspects, the control and report modules available through the single interface are capable of initiating service of at least one additional interface associated with an invoked module, the additional interface providing a more detailed accounting of the categorized data associated with the invoked module.

In one embodiment, the control and report modules are selectively cross-linked with each other for the purpose of sharing reporting aspects of the aggregated data and for enabling user navigation between the modules. In one embodiment, the user-access device is a personal computer. In another embodiment, the user access-device is a handheld computer.

5
10
15

20
25

Now, for the first time a single interactive software interface for viewing pluralities of data categories and enabling action requests to be performed from within any one of the multiple data categories is provided. A software interface such as this greatly services users who must interact with a plurality of on-line services in order to effect and propagate on-line business activity related to their financial, employment, travel, recreational, and social activities and engagements.

Brief Description of the Drawing Figures

Fig. 1 is an overview of an Internet portal system and network according to an embodiment of the present invention.

Fig. 2 is an exemplary plan view of a personalized portal home page application as it may be seen on a display monitor according to an embodiment of the present invention.

Fig. 3 is a flow diagram illustrating user interaction with the Internet portal of fig. 1.

Fig. 4 is a block diagram illustrating a summarization software agent and capabilities thereof according to an embodiment of the present invention.

Fig. 5 is a logical flow chart illustrating an exemplary summarization process performed by the software agent of Fig. 4 operating in a user-defined mode.

Fig. 6 is a logical flow chart illustrating an exemplary summarization process performed by the software agent of Fig. 4 in a User-independent smart mode with minimum user input.

Fig. 7 is an overview of a meta-summarization process according to an embodiment of the present invention.

5

10

15

20

25

25

25

25

Description of the Preferred Embodiments

According to a preferred embodiment of the present invention, a unique Internet portal is provided and adapted to provide unique services to users who have obtained access via an Internet or other network connection from an Internet-capable appliance. Such an interface provides users with a method for storing many personal WEB pages and further provides search function and certain task-performing functions. The methods and apparatus of the present invention are taught in enabling detail below.

Fig. 1 is an overview of an Internet portal system 11 and Internet network 13 according to an embodiment of the present invention. Portal system 11, in this embodiment, operates as an ISP in addition to a unique network portal, but may, in other embodiments be implemented as a stand-alone Internet server. In yet other embodiments the service and apparatus described herein may also be provided by such as a search and listing service (AltaVista™, Yahoo™) or by any other enterprise hosting a WEB-connected server.

Internet 13 is representative of a preferred use of the present invention, but should not be considered limiting, as the invention could apply in other networks and combinations of networks.

ISP 15 in this embodiment comprises a server 31, a modem bank 33, represented here by a single modem, and a mass storage repository 29 for storing digital data. The modem bank is a convenience, as connection to the server could be by another type of network link. ISP 15, as is typical in the art, provides Internet access services for individual subscribers. In addition to well-known Internet access services, ISP 15 also provides a unique subscription service as an Internet portal for the purpose of storing many WEB pages or destinations along with any passwords and or personal codes

associated with those pages, in a manner described in more detail below. This unique portal service is provided by execution of Portal Software 35, which is termed by the inventors the Password-All suite. The software of the invention is referred to herein both as the Portal Software, and as the Password-all software suite. Also, in much of the description below, the apparatus of the invention is referred to by the Password-All terminology, such as *the Password-All Server or Password-All Portal*.

ISP 15 is connected to Internet 13 as shown. Other equipment known in the art to be present and connected to a network such as Internet 13, for example, IP data routers, data switches, gateway routers, and the like, are not illustrated here but may be assumed to be present. Access to ISP 15 is through a connection-oriented telephone system as is known in the art, or through any other Internet/WEB access connection, such as through a cable modem, special network connection (e.g. T1), ISDN, and so forth. Such connection is illustrated via access line 19 from Internet appliance 17 through modem bank 33.

In a preferred embodiment a user has access to Internet Password-All Portal services by a user name and password as is well known in the art, which provides an individualized WEB page to the subscriber. In another embodiment wherein a user has other individuals that use his or her Internet account, then an additional password or code unique to the user may be required before access to portal 31 is granted. Such personalized Portal WEB pages may be stored in repository 29, which may be any convenient form of mass storage.

Three Internet servers 23, 25, and 27, are shown in Internet 13, and represent Internet servers hosted by various enterprises and subscribed to by a user operating appliance 17. For example, server 23 may be a bank server wherein interactive on-line banking and account managing may be

performed. Server 25 may be an investment server wherein investment accounts may be created and managed. Server 27 may be an airline or travel server wherein flights may be booked, tickets may be purchased, and so on. In this example, all three servers are secure servers requiring user ID and password for access, but the invention is not necessarily limited to just secure services.

In a preferred embodiment of the present invention, a subscribing user operating an Internet-capable appliance, such as appliance 17, connects to Password-All Portal system 11 hosted by ISP 15, and thereby gains access to a personalized, interactive WEB page, which in turn provides access to any one of a number of servers on Internet 13 such as servers 23, 25, and 27, without being required to enter additional passwords or codes. In a preferred embodiment the software that enables this service is termed Password-All by the inventors. Password-All may be considered to be a software suite executing on the unique server, and in some instances also on the user's station (client). Additional interactivity provided by portal software 35 allows a connected user to search his listed pages for information associated with keywords, text strings, or the like, and allows a user to program user-defined tasks involving access and interaction with one or more Internet-connected servers such as servers 23, 25, and 27 according to a pre-defined time schedule. These functions are taught in enabling detail below.

Fig. 2 is an illustration of a personalized portal page as may be seen on a display monitor according to an embodiment of the present invention, provided by Password-All Portal software 35 executing on server 31, in response to secure access by a subscriber. Page 32 presents an interactive listing 34 of user-subscribed or member WEB pages, identified in this example by URL, but which may also be identified by any convenient

pseudonym, preferably descriptive, along with user name and typically encrypted password information for each page. Listed in a first column under *destination*, are exemplary destinations LBC.com, My Bank.com, My Stocks.com, My shopping.com, Mortgage.com, and Airline.com. These are but a few of many exemplary destinations that may be present and listed as such on page 33. In order to view additional listings listed but not immediately viewable from within application 33, a scroll bar 35 is provided and adapted to allow a user to scroll up or down the list to enable viewing as is known in the art.

Items listed in list 34 in this example may be considered destinations on such as servers 23, 25, and 27 of Fig. 1. Typically the URL associated with an item on this list will not take a user to a server, per se, but to a page stored on a server. User names and password data associated with each item in list 34 are illustrated in respective columns labeled *user name*, and *password*, to the right of the column labeled *destination*. Each listing, or at least a portion of each listing, is a hyperlink invoking, when selected, the URL to that destination. In some instances a particular service may have more than one associated URL. For example, My Bank.com may have more than one URL associated for such as different accounts or businesses associated also with a single subscriber. In this case there may be a sub-listing for different destinations associated with a single higher-level listing. This expedient is not shown, but given this teaching the mechanism will be apparent to those with skill in the art.

In some embodiments one page 33 may be shared by more than one user, such as a husband and wife sharing a common account and subscription. An instance of this is illustrated herein with respect to the server labeled Mortgage.com wherein both a John and a Jane Doe are listed together under the column labeled user name. In another embodiment, a

network of individuals, perhaps business owners, authorized co-workers, investment parties, or the like may share one application. In this way, system 11 may be adapted for private individuals as well as business uses.

After gaining access to application 33 which is served via Internet portal server 31 of Fig. 1, a user may scroll, highlight, and select any URL in his or her list 34 for the purpose of navigation to that particular destination for further interaction. Application 33 already has each password and user name listed for each URL. It is not necessary, however, that the password and user name be displayed for a user or users. These may well be stored transparently in a user's profile, and invoked as needed as a user makes selections. Therefore, a user is spared the need of entering passwords and user names for any destinations enabled by list 34. Of course, each list 34 is built, configured and maintained by a subscribing user or users, and an editing facility is also provided wherein a user may edit and update listings, including changing URL's adding and deleting listings, and the like.

In another aspect of the invention new listings for a user's profile, such as a new passthrough to a bank or other enterprise page, may be added semi-automatically as follows: Typically, when a user opens a new account with an enterprise through interaction with a WEB page hosted by the enterprise, the user is required to provide certain information, which will typically include such as the user's ID, address, e-mail account, and so forth, and typically a new user name and password to access the account. In this process the user will be interacting with the enterprise's page from his/her browser. A Password-All plug-in is provided wherein, after entering the required information for the new enterprise, the user may activate a pre-determined signal (right click, key stroke, etc.), and the Password-All suite will then enter a new passthrough in the user's Password. All profile at the Password-All Portal server.

In a related method for new entries, the enterprise hosting the Password-All Portal may, by agreement with other enterprises, provide log-in and sign-up services at the Password-All Portal, with most action transparent to the user. For example, there may be, at the Password-All Portal, a selectable browser list of cooperating enterprises, such as banks, security services, and the like, and a user having a Password-All Portal subscription and profile may select among such cooperating enterprises and open new accounts, which will simultaneously and automatically be added to the Password-All Portal page for the user and to the server hosted by the cooperating enterprise. There may be some interactivity required for different accounts, but in the main, much information from the user's profile may be used directly without being re-entered.

The inventors have anticipated that many potential users may well be suspicious of providing passwords and user names to an enterprise hosting a Password-All Portal Server executing a service like Password-All according to embodiments of the present invention. To accommodate this problem, in preferred embodiments, it is not necessary that the user provide the cleartext password to Password. All. Instead, an encrypted version of each password is provided. When a user links to his passthrough page in Password-All at the Password-All Portal server, when he/she invokes a hyperlink, the encrypted password is returned to the user's system, which then, by virtue of the kept encryption key or master password, invokes the true and necessary password for connection to the selected destination. It is thus not necessary that cleartext passwords be stored at the Password-All Portal server, where they may be vulnerable to attack from outside sources, or to perceived misuse in other ways as well.

In a related safety measure, in a preferred embodiment of the invention, a user's complete profile is never stored on a single server, but is

distributed over two or more, preferably more, servers, so any problem with any one server will minimize the overall effect for any particular user.

5 Password-All, as described above, allows a user to access a complete list of the user's usual cyberspace destinations, complete with necessary log-on data, stored in an encrypted fashion, so a user may simply select a destination (a hyperlink) in the Password-All list, and the user's browser then invokes the URL for the selected destination. In an added feature, Password-All may display banner ads and other types of advertisement during the navigation time between a hyperlink being invoked and the time
10 the destination WEB page is displayed.

In yet another embodiment of the invention, a user/subscriber need not access the Password-All page to enjoy the advantages of the unique features provided. In this variation, a Plug-In is provided for the subscriber's WEB browser. If the subscriber navigates by use of the local browser to a
15 WEB page requiring a secure log-in, such as his/her on-line banking destination, when the subscriber is presented with an input window for ID and Password, the plug in may be activated by a predetermined user input, such as a hot key or right click of the mouse device. The plug-in then accesses, transparently, the Password-All page (which may be cached at the
20 client), and automatically accesses and provides the needed data for log-on.

In yet another aspect of the invention a search option 37 allows a user to search list 34 for specific URL's based on typed input such as keywords or the like. In some cases, the number of URL's stored in list 34 can be extensive making a search function such as function 37 an attractive
25 option. A criteria dialog box 51 illustrated as logically separated from and below list 34 is provided and adapted to accept input for search option 37 as is known in the art. In one embodiment, search option 37 may bring up a second window wherein a dialog box such as box 51 could be located.

002201 30286960

In another aspect of the invention the search function may also be configured in a window invoked from window 33, and caused to search all or selected ones of listed destinations, and to return results in a manner that may be, at least to some extent, configured by a user. For example, a dialog box may be presented wherein a user may enter a search criteria, and select among all of the listed destinations. The search will then be access each of the selected destinations in turn, and the result may be presented to the user as each instance of the criteria is found, or results may be listed in a manner to be accessed after the search.

Preferably the search function is a part of the Password-All Portal software, available for all users, and may be accessed by hyperlinks in user's personal pages. In some embodiments users may create highly individualized search functions that may be stored in a manner to be usable only by the user who creates such a function.

In many aspects of the present invention, knowledge of specific WEB pages, and certain types of WEB pages, is highly desirable. In many embodiments characteristics of destination WEB pages are researched by persons (facilitators) maintaining and enhancing Password-All Portal software 35, and many characteristics may be provided in configuration modules for users to accomplish specific tasks. In most cases these characteristics are invoked and incorporated transparent to the user.

In yet another aspect of the present invention, the Password-All suite is structured to provide periodic reports to a user, in a manner to be structured and timed by the user, through the user's profile. For example, reports of changes in account balances in bank accounts, stock purchases, stock values, total airline travel purchases, frequent-flier miles, and the like may be summarized and provided to the users in many different ways. Because the Password-All Portal server with the Password-All software site

5

10

15

25

present invention, and by the Password-All software suite are not limited to destinations requiring passwords and user names. The Password-All Portal and software in many embodiments may also be used to manage all of a user's bookmarks, including editing of bookmarks and the like. In this aspect, bookmarks will typically be presented in indexed, grouped, and hierarchical ways.

There are editing features provided with Password-All for adding, acquiring, deleting, and otherwise managing bookmarks. As a convenience, in many embodiments of the invention, bookmarks may be downloaded from a user's Password-All site, and loaded onto the same user's local browser. In this manner, additions and improvements in the bookmark set for a user may be used without the necessity of going to Password-All. Further, bookmarks may be uploaded from a user's local PC to his/her home page on the Password-All site by use of one or more Password-All plug-ins.

It will be apparent to the skilled artisan, given the teaching herein, that the functionality provided in various embodiments of the invention is especially applicable to Internet-capable appliances that may be limited in input capability. For example, a set-top box in a WEB TV application may well be without a keyboard for entering IDs and Passwords and the like. In practice of the present invention keyboard entry is minimized or eliminated. The same comments apply to many other sorts of Internet appliances.

In preferred embodiments of the invention, once a subscriber-user is in Password-All, only an ability to point-and-click is needed for all navigation. To get into the Password-All site, using a limited apparatus, such as an appliance without a keyboard or keypad, a Smartcard or embedded password may be used, or some other type of authentication.

It will be apparent to one with skill in the art that an interactive application such as application 33 may be provided in a form other than a

WEB page without departing from the spirit and scope of the present invention. For example, an application such as application 33 may be provided as a downloadable module or program that may be set-up and configured off-line and made operational when on-line.

5 Fig. 3 is a flow diagram illustrating user interaction with the Internet Password-All Portal of fig. 1. The following process steps illustrated, according to an embodiment of the present invention, are intended to illustrate exemplary user-steps and automated software processes that may be initiated and invoked during interaction with an Internet portal of the present invention such as portal 31 of Fig. 1. In step 53 a user connects to the Internet or another previously described switched-packet network via a compatible appliance such as Internet appliance 17 of Fig. 1.

10 At step 55, a user enters a user-name and password, which, in one embodiment, may simply be his ISP user name and password. In another embodiment, a second password or code would be required to access an Internet portal such as portal server 31 of Fig. 1 after logging onto the Internet through the ISP. In some cases, having a special arrangement with the ISP, there may be one password for both Internet access through the ISP and for Password-All. At step 57 a personal WEB page such as page 32 of Fig. 2 is displayed via Internet portal server 31. At minimum, the personalized WEB page will contain all user configured URL's, and may also be enhanced by a search function, among other possibilities.

15 In step 58 a user will, minimally, select a URL from his or her bookmarked destinations, and as is known by hyperlink technology, the transparent URL will be invoked, and the user will navigate to that destination for the purpose of normal user interaction. In this action, the Password-All Portal software transparently logs the user on to the destination page, if such log-on is needed.

At step 60 the user invokes a search engine by clicking on an option such as described option 37 of Fig. 2. At step 62, the user inputs search parameters into a provided text field such as text field 51 of Fig. 2. After inputting such parameters, the user starts the search by a button such as button 52. The search engine extracts information in step 64. Such information may be, in one option, of the form of URL's fitting the description provided by search parameters. A searched list of URL's may be presented in a separate generated page in step 66 after which a user may select which URL to navigate to. In an optional search function, the user may provide search criteria, and search any or all of the possible destinations for the criteria.

In another embodiment wherein WEB pages are cached in their presentable form, information extracted in step 64 may include any information contained in any of the stored pages such as text, pictures, interactive content, or the like. In this case, one displayed result page may provide generated links to search results that include the URL associated with the results. Perhaps by clicking on a text or graphic result, the associated WEB page will be displayed for the user with the result highlighted and in view with regards to the display window.

Enhanced Agent for WEB Summaries

In another aspect of the present invention, a software agent, termed a gatherer by the inventors, is adapted to gather and return summary information about URL's according to user request or enterprise discretion. This is accomplished in embodiments of the present invention by a unique scripting and language parsing method provided by the inventor wherein human knowledge workers associated with the service provide written

scripts to such a gatherer according to subscriber or enterprise directives. Such a software gatherer, and capabilities thereof, is described in enabling detail below.

Referring now to Fig. 1, there is illustrated an exemplary architecture representing a portal service-network which, in this case is hosted by ISP 15. Portal software 35 in this embodiment executes on portal server 31 set-up at the ISP location. Mass repository 29 is used for storing subscriber information such as passwords, login names, and the like. Internet servers 23, 25, and 27 represent servers that are adapted to serve WEB pages of enterprises patronized by a subscriber to the portal service such as one operating Internet appliance 17.

The main purpose of portal software 35 as described above with reference to Fig. 2, is to provide an interactive application that lists all of the subscriber's WEB sites in the form of hyperlinks. When a user invokes a hyperlink from his personal list, software 35 uses the subscriber's personal information to provide an automatic and transparent login function for the subscriber while jumping the subscriber to the subject destination.

Referring again to Fig. 2, an interactive list 34 containing user-entered hyperlinks and a set of interactive tools is displayed to a subscriber by portal software 35 of Fig. 1. One of the tools available to a subscriber interacting with list 34 is agent (software) 39. Agent 39 may be programmed to perform certain tasks such as obtaining account information, executing simple transactions, returning user-requested notification information about upcoming events, and so on. Search function 37 and update function 43 may be integrated with agent 39 as required to aid in functionality.

It is described in the above disclosure that agent 39 may, in some embodiments, search for and return certain summary information contained

on user-subscribed WEB pages, such as account summaries, order tracking information and certain other information according to user-defined parameters. This feature may be programmed by a user to work on a periodic time schedule, or on demand.

5 In the following disclosure, enhancements are provided to agent 39. Such enhancements, described in detail below, may be integrated into agent 39 of portal software 35 (Fig.'s 1 and 2); and may be provided as a separate agent or gatherer to run with portal software 35; or may, in some embodiments, be provided as a standalone service that is separate from
10 portal software 35.

Fig. 4 is a block diagram illustrating a summarization software agent 67 and various capabilities and layers thereof according to an embodiment of the present invention. Summarization agent 67, hereinafter termed gatherer 67, is a programmable and interactive software application adapted to run on
15 a network server. Gatherer 67 may, in one embodiment, be integrated with portal software 35 of Fig. 1 and be provided in the form of a software module separate from agent 39 (Fig. 2). In another embodiment, gatherer 67 may be a part of agent 39 as an enhancement to the function of that agent as previously described. In still another embodiment, gatherer 67 may be
20 provided as a parent or client-side application controlled by a separate service from the portal service described above.

In this exemplary embodiment gatherer 67 is a multi-featured software application having a variety of sub-modules and interface modules incorporated therein to provide enhanced function. Gatherer 67 has a
25 client/service interface layer 69 adapted to enable directive input from both a client (user) and a knowledge worker or workers associated with the service. A browser interface 77 is provided in layer 69, and adapted to provide access to application 67 from a browser running on a client's PC or other

Internet or network appliance. Interface 77 facilitates bi-directional communication with a user's browser application (not shown) for the purpose of allowing the user to input summary requests into gatherer 67 and receive summary results. Interface 77 supports all existing network communication protocols such as may be known in the art, and may be adapted to support future protocols.

Layer 69 also comprises a unique input scripting module 79 that is adapted to allow a human knowledge worker to create and supply directive scripts containing the site logic needed by gatherer 67 to find and retrieve data from a WEB site. In this case, gatherer 67 executes and runs on a network server such as server 31 of Fig. 1. However, this is not required in order to practice the present invention.

It is assumed in this example that gatherer 67 is part of the portal software suite 35 running on server 31 of Fig. 1. Gatherer 67 may be provided as several dedicated agents, or as one multi-functional agent without departing from the spirit and scope of the present invention. For example, one gatherer 67 may be scripted and programmed to execute a single user request with additional gatherers 67 called upon to perform additional user-requests. Alternatively, one gatherer 67 may be dedicated and assigned to each individual user and adapted to handle all requests from that user.

Interface layer 69 facilitates exchange of information from both a client and a knowledge worker. A client operating a WEB browser with an appropriate plug-in is enabled to communicate and interact with gatherer 67. For example, a user may enter a request to return a summary of pricing for all apartments renting for under \$1000.00 per month located in a given area (defined by the user) from apartments.com (one of user's registered WEB sites). The just mentioned request would be categorized as either a periodic

request, or a one time (on demand) request. The communicated request initiates a service action wherein a knowledge worker associated with the service uses module 79 to set-up gatherer 67 to perform it's function. Module 79 is typically executed from a network-connected PC operated by the knowledge worker.

According to an embodiment of the present invention, a unique scripting method facilitated by module 79 is provided to enable gatherer 67 to obtain the goal information requested by a user. For example, the above mentioned example of WEB-site apartments.com has a specific HTML (hyper-text-markup-language) logic that it uses to create its site and post its information. Such site logic is relatively standard fare for a majority of different sites hosted by different entities. Using this knowledge, a knowledge worker creates a site-specific script or template for gatherer 67 to follow. Such a template contains descriptions and locations of the appropriate fields used, for example, at apartments.com. Apartment description, location, deposit information, rental information, agent contact information, and other related fields are matched in terms of location and label description on the template created with module 79. Completed templates are stored in a database contained in a storage facility such as, perhaps, repository 29 of Fig. 1. Such templates may be reused and may be updated (edited) with new data.

In one embodiment, one script may contain site logics for a plurality of WEB pages, and instructions for specific navigational instruction and password or login information may be contained therein and executed serially, such as one site at a time. It is important to note that the knowledge worker or workers may perform much of their scripting via automatic controls such as by object linking and embedding (OLE) and a minor portion

5

10

15

20

A navigation layer 73 is provided and adapted to perform the

and adapted to function as a WEB browser to access WEB sites containing WEB data. Control 85 receives it's instruction from the scripted template created by the knowledge worker.

A parsing engine 87 is provided and adapted to parse individual WEB sites according to a template created via scripting module 79. Parsing engine 87 may be a Pearl engine, an IE HTML engine, or any other or combination of known parsing engines. The template (not shown) tells control 85 and parsing engine 87 where to go and what fields at the destination site to look for to access desired data. Once the data fields are located, parsing engine 87 gathers current data in the appropriate field, and returns that data to the service for further processing such as data conversion, compression and storage, and the like.

Because WEB sites use tools that use consistent logic in setting up their sites, this logic may be used by the summarization service to instruct control 83 and parsing engine 87. The inventor provides herein an exemplary script logic for navigating to and garnishing data from amazon™.com. The hyperlinks and/or actual URLs required for navigation are not shown, but may be assumed to be included in the template script. In this example, a company name Yodlee (known to the inventors) is used in the script for naming object holders and object containers, which are in this case Active X™ conventions. In another embodiment, Java™ script or another object linking control may be used. The scripted template logic example is as follows:

```
# Site amazon.orders.x - shows status of orders from Amazon
```

```
login( 7 );
```

```
get( "/exec/obidos/order-list/" );
```

```
my @tables = get_tables_containing_text( "Orders:" );
```

```
my $order_list = new Yodlee::ObjectHolder( 'orders' );
$order_list->source( 'amazon' );
$order_list->link_info( get_link_info() );

5  my @href_list;
    my @container_list;

    foreach my $table ( @tables ) {
        my @rows = get_table_rows();

10  foreach my $i ( 0 .. $#rows ) {
        select_row( $i );
        my $text = get_text( $rows[ $i ] );
        next if $text =~ /Orders:|Status/;

15  my @items = get_row_items();
        next unless @items >= 4;

        my( $order_num, $date, $status );
20  select_cell( 1 );
        $order_num = get_cell_text();

        my $href = get_url_of_first_href( get_cell() );

25  select_cell( 2 );
        $date = get_cell_text();
        select_cell( 3 );
        $status = get_cell_text();

30  next unless defined $order_num and defined $date and defined
        $status;

        my $order = new Yodlee::Container( 'orders' );
        $order->order_number( $order_num );
35  $order->date( $date );
        $order->status( $status );

        $order_list->push_object( $order );

40  if( defined $href ) {
        push( @href_list, $href );
        push( @container_list, $order );
    }
}
```

foreach my \$i (0 .. \$#href_list) {
 get(\$href_list[\$i]);
5 @tables = get_tables_containing_text("Items Ordered:");
 foreach my \$table (@tables) {
 my @rows = get_table_rows();
10 foreach my \$j (0 .. \$#rows) {
 select_row(\$j);
 my \$href = get_url_of_first_href(get_row());
15 next unless defined \$href;
 my @child_list = get_children(get_row(), 'a');
 next unless defined \$child_list[0];
20 my \$text = get_text(\$child_list[0]);
 \$container_list[\$i]->description(\$text);
 }
 }
25 }
 }
 result(\$order_list);

30 The above example is a script that instructs control 85 and parser 87
to navigate to and obtain data from Amazon™.com, specifically that data
that reflects the user's current order status. Scripts may also be written to
obtain virtually any type of text information available from any site. For
example, a user may wish to obtain the New York Times headlines, the top
ten performing stocks, a comparative list of flights from San Francisco to
35 New York, etc. In one embodiment, metadata may be associated with and
used in-place of the actual scripted language for the purpose of reducing
complication in the case of many scripts on one template.

09593708-102700
00/20T" 80/285960

5 A data processing layer 75 is provided and adapted to store, process, and present returned data to users according to enterprise rules and client direction. A database interface module 89 is provided and adapted to provide access for gatherer 67 to a mass repository such as repository 29 of Fig. 1, for the purpose of storing and retrieving summary data, templates, presentation directives, and so on. Gatherer agent 67 may also access data through interface 89 such as profile information, user account and URL information, stored site logics and so on. Data scanned from the WEB is stored in a canonical format in a database such as repository 29, or in
10 another connected storage facility. All stored data is, of course, associated with an individual who requested it, or for whom the data is made available according to enterprise discretion.

15 A summarization page module 91 is provided and adapted to organize and serve a WEB summary page to a user. Module 91, in some embodiments, may immediately push a WEB summary to a user, or module 91 may store such summarized pages for a user to access via a pull method, in which case a notification may be sent to the user alerting him of the summary page availability. Summarization module 91 includes an HTML renderer that is able to format data into HTML format for WEB page
20 display. In this way, e-mail messages and the like may be presented as HTML text on a user's summarization page. Moreover, any summary data from any site may include an embedded hyperlink to that site. In this way, a user looking at an e-mail text in HTML may click on it and launch the appropriate e-mail program. Other sites will, by default, be linked through
25 the summary page.

Many users will access their summary data through a WEB page as described above, however, this is not required in order to practice the present invention. In some embodiments, users will want their summary

5

10

20

In many cases, created templates may be re-used unless a WEB site changes it's site logic parameters, in which case, the new logic must be

accessed and any existing templates must be updated, or a new template may be created for the site. The templates contain site-specific script obtained from the site and stored by the knowledge workers. In one embodiment, companies hosting WEB pages automatically provide their site logics and any logic updates to the service by virtue of an agreement between the service and the WEB hosts.

In an alternative embodiment gatherer 67 may be implemented as a client application installed on a user's PC. In this embodiment, a user would not be required to supply log-in or password codes. Summarization scripts may be sent to the client software and templates may be automatically created with the appropriate scripts using log-in and password information encrypted and stored locally on the user's machine.

In addition to providing WEB summary information, gatherer 67 may also be used to provide such as automatic registration to new sites, and for updating old registration information to existing sites. For example, if a user wishes to subscribe, or register at a new site, only the identification of the site is required from the user as long as his pertinent information has not changed. If a new password or the like is required, gatherer 67 through control module 73 may present login or password codes from a list of alternative codes provided by a user. In another embodiment, a database (not shown) containing a wealth of password options may be accessed by gatherer 67 for the purpose of trying different passwords until one is accepted by the site. Once a password or log-in code is accepted, it may be sent to a user and stored in his password list and at the network level.

It will be apparent to one with skill in the art that a software application such as gatherer 67 may be implemented in many separate locations connected in a data network. For example, a plurality of gatherer applications may be distributed over many separate servers linked to one or

more mass repositories. Client applications include but are not limited to a WEB-browser plug-in for communicating to the service. Plug-in extensions may also be afforded to proxy servers so that auto-login and data access may still be performed transparent to a user.

In another embodiment, plug-ins enabling communication with gatherer 67 may be provided and configured to run on other network devices for the purpose of enabling such a device to initiate a request and get a response without the need for a desktop computer.

In most embodiments a user operating a desktop PC will order a one time or periodic summary related to some or all of his subscribed WEB sites. A logical flow of an exemplary request/response interaction is provided below.

Fig. 5 is a logical flow chart illustrating an exemplary summarization process performed by the software agent of Fig. 4 operating in a user-defined mode. In step 93, a user has initiated a new request for a summary (summary order). It is assumed for the purpose of discussion, that the request of step 93 involves a site wherein no template has been created. In step 95, the request is received and analyzed. A knowledge worker will likely perform this step. The new request may be posted to the user's portal home page, sent directly to gatherer 67, or even communicated through e-mail or other media to the service.

In step 97 a knowledge worker accesses particular site logic associated with the request URLs. For example, if the request involves a plurality of URLs, then all site logics for those URLs are accessed. Logic may be available in a repository such as repository 29 of Fig. 1 if they were obtained at the time of user registration to a particular URL, or sent in by WEB-site hosts shortly after registration. If it is a completely new URL, then the logic must be obtained from the site. In most cases however, the

logic will be known by virtue of a plurality of users accessing common URLs. Therefore cross-linking in a database of logic/user associations may be performed to access a logic for a site that is new to one particular user, but not new to another.

In step 99, the knowledge worker creates a template by virtue of scripting module .79 (Fig. 4) containing all site logic, URLs, log-in and password information, and the user request information. As described previously, templates may be re-used for a same request. In most cases, scripting may be mostly automated with minimum manual input performed by the knowledge worker. In many cases, an existing template will match a new request exactly, and may be re-used. In that case steps 97, 99, and 101 would not be required.

In step 101 the template is stored and associated with the requesting user. The stored template may now be retrieved at a scheduled time for performing the summary gathering. At step 103, a browser control such as module 85 of Fig. 4 is activated to access the stored template and navigate to specified URLs for the purpose of gathering summary data. If a timing function is attributed to the template stored in step 101, then the template may self execute and call up the browser function. In another embodiment, the knowledge worker may notify the browser control to get the template for it's next task. In some embodiments, a plurality of controls may be used with one template as previously described.

In step 105, automatic log-in is performed, if required, to gain access to each specified URL. In step 107, a specified WEB-page is navigated to and parsed for requested data according to the logic on the template. If there are a plurality of WEB –pages to parse, then this step is repeated for the number of pages. A variety of parsing engines may be used for this

process such as an IE™ parser, or a Pearl™ parser. Only the requested data is kept in step 107.

A request may be an on-demand request requiring immediate return, or a scheduled request wherein data may be posted. At step 109, such logic is confirmed. If the data is to be presented according to a periodic schedule, then summary data parsed in step 107 is stored for latter use in step 111. In step 113, the summary data is rendered as HTML if not already formatted, and displayed in the form of a summary WEB-page in step 115. The summary page may be posted for access by a user at a time convenient to the user (pull), or may be pushed as a WEB-page to the user and be made to automatically display on the user's PC. Notification of summary page availability may also be sent to a user to alert him of completion of order.

If the summary data is from a one-time on-demand request and required immediately by a user, then a network appliance and data delivery method (configured by the user) is confirmed, and the data is rendered in the appropriate format for delivery and display in step 117. In step 119, the summary data is delivered according to protocol to a user's designated appliance. In step 121 a user receives requested information in the appropriate format.

It will be apparent to one with skill in the art that there may be more or fewer logical steps as well as added sub-steps than are illustrated in this example. For example, step 105 may in other embodiments include sub-steps such as getting an encryption key from a user. In still another embodiment, part of a request may be rendered as HTML as in step 113 while certain other portions of the same request data might be rendered in another format and delivered via alternative methods. There are many possibilities.

The method and apparatus of the present invention may be used to present summaries to users without user input. Process logic such as this is detailed below.

Fig. 6 is a logical flow chart illustrating an exemplary summarization process performed by the software agent of Fig. 4 in a User-independent smart mode with minimum or no user input. In step 117 an enterprise-initiated summary process begins. In this case, the enterprise may be assisting a user in finding a better deal or, perhaps presenting the individual with summaries from and links to alternative pages not yet subscribed to by a user.

In step 119, a database containing user information and parameters is accessed and reviewed. Certain information specific to a user may be required to initiate an enterprise-sponsored summary report. At step 121, the knowledge worker accesses the site logic specific to the specified target site or sites for summarization. In step 123, the knowledge worker modifies an existing user template, or creates a new one if necessary. At step 125 the template is stored in a repository such as repository 29 and associated with the user.

As described in Fig. 5, the template either self-executes according to a timed function and invokes a browser control such as control 85 (Fig. 4), or is accessed by control 85 as a result of task notification. In step 127, the browser control begins navigation. Auto logins are performed, if required, in step 129 to gain access to selected sites. If the WEB pages are new to a user, and the user has no registration with the WEB site, then through agreement, or other convention, the service may be provided access to such sites. Such an agreement may be made, for example, if the host of the WEB site realizes a possibility of gaining a new customer if the customer likes the summary information presented. In many other situations, no password or

login information, is required to obtain general information that is not personal to a client.

In step 131, all sites are parsed for summary data and stored in canonical fashion in step 133. At step 135, the data is compiled and rendered as HTML for presentation on a summary page. In step 137, a WEB summary containing all of the data is made available to a user and the user is notified of it's existence.

Providing certain information not requested by a user may aid in enhancing a user's organization of is current business on the WEB. Moreover, unsolicited WEB summaries may provide better opportunities than the current options in the user's profile. Of course, assisting a user in this manner will require that the enterprise (service) have access to the user's profile and existing account and service information with various WEB sites on the user's list. A user may forbid use of a user's personal information, in which case, no enterprise-initiated summaries would be performed unless they are conducted strictly in an offer mode instead of a comparative mode.

The method and apparatus also may be practiced in a language and platform independent manner, and be implemented over a variety of scalable server architectures.

Presenting Meta-Summarized Reports

In another aspect of the present invention, a method is provided largely through unique software wherein summary reports may be ordered and presented to users, the reports reflecting calculated and solution-

orientated results. This type of summarizing is termed meta-summarization by the inventors, because it is a summarization over a plurality of data sources. Such a method is described in enabling detail below.

Fig. 7 is an overview of a meta-summarization process according to an embodiment of the present invention. The term "meta-summary" is used by the inventor in this embodiment also to distinguish the meta-summary process taught herein from the summary process taught above in this specification; in that meta-summarizing involves interpreting and calculating data for reporting a solution-orientated result derived from data retrieved from multiple network sources.

In this embodiment, a portal station 151 is provided and adapted by virtue of software and hardware, to perform WEB-summary and presentation services according to embodiments described in the co-patent applications listed above. Station 151 may be an ISP, a main Internet server, or other network connected server or interface station. In this example, portal station 151 is continuously connected to a source network, which is in this embodiment, the Internet network represented by Internet cloud 139. The above-described network connection is afforded by an Internet-connection line 149 from station 151 to an Internet backbone 147. Internet backbone 147 represents all lines and connections, including sub-nets that make up a global Internet 139.

Portal station 151 has a means provided therein for maintaining a portal interface 153. Portal interface 153 is a file-server interface in this example, however in other embodiments, differing types of network-interface hardware may be substituted therefor. Interface 153 provides hyper-text-transfer protocol (HTTP) pages over an Internet-connection such as path 161 to subscribing users operating such as an illustrated network-adapted PC 163. A user operating PC 163 may go on-line, in this case by

such as a dial-up connection, and communicate with portal interface 153 over connection path 161. Connection path 161 may be a normal telephone line, an ISDN line, or another known type of Internet-connection link including wireless connection. A dial-up connection is illustrated herein only as a more common connection method.

A data repository 157 is provided within station 151 and adapted to warehouse aggregated data on behalf of and about a user. Data repository 157 may be part of the same hardware supporting portal interface 153 or it may be a separate hardware implementation connected by a data link. Repository 157 may be of the form of optical storage, or any other known implementation used for storing large amounts of digital data. Repository 157 may be assumed to support varied database programs as may be required to manipulate and organize data or metadata stored therein.

A data gathering sub-system GSS 159 is provided within station 151 and is adapted as a software and hardware implementation capable of navigating data-packet networks, such as Internet 139, upon instruction. GSS 159 represents automated browser control/navigation as described in co-pending patent application S/N 09/523,598. GSS 159 is analogous to navigation layer 73 described in Fig. 4 above.

A plurality of network-connected data sources represented herein by file/data servers 141-145 are illustrated in Internet 139. Servers 141-145 are user-subscribed servers known to portal station 151. For example, servers 141-145 may represent one user's collective WEB-services for banking and investment. Such options include banking, stock trading, retirement account servers, insurance servers, and so on. It is noted here that servers 141-145 are assumed to represent separate WEB-based services subscribed to by one user and are not affiliated with one another. For example, a user operating

such as PC 163 would do all of his on-line banking, trading, and investing using servers 141-145 in this example.

In another embodiment, servers 141-145 may represent all of a user's frequented on-line shopping services. The fact that all of servers 141-145 are topically related but not affiliated with one another in this example serves only to aid in explanation of the present invention as will be seen below.

It is taught in the co-pending patent application entitled "*Method and Apparatus for Obtaining and Presenting WEB Summaries to Users*" that site navigation, parsing data, and returning data to users or storage is enabled, in part, by site-logic templates provided typically by knowledge workers. This aspect is represented herein by a PC 167 adapted for a knowledge worker (KW). A KW working from a station such as PC 167 provides site-logic scripts for navigation to data requested by a user and stored in any one of or all of servers 141-145. Such scripts are provided to GSS 159 over a data link 165. Summary data stored in such as repository 157 is stored for user access. In some cases wherein a user requests immediate data return, data is sent directly to such as portal interface 153 where a user may then access the data immediately.

According to an embodiment of the present invention, a novel database-reporting engine DBRE 155 is provided and adapted to perform formulative processes to aggregated data on behalf of a user. DBRE 155 is in itself a database utility and is in a preferred embodiment a part of the software environment of repository 157. In another embodiment DBRE 155 may be part of the software environment of portal interface 153.

In this embodiment, DBRE 155 acts as a first "gathering agent" and checks repository 157 first for user requested data upon request. User-history records of all user transactions at all of his registered WEB-based services are preferably maintained in repository 157 and are accessible to

DBRE 155. In some cases, services such as those represented by servers 141-145 may provided complete transaction histories that may be obtained and stored in repository 157 and updated periodically. In some cases however, such services may not retain history records for users. In this case, a user accessing such services through his or her portal interface 153 may track each transaction over a normal course of time resulting in a history record for transactions at that service that is maintained in repository 157.

In the case of servers 141-145, each contains some form of financial portfolio data connected to one user. For example, server 141 may represent a banking service where a user has a savings account. Server 142 may represent a banking service where the user has a checking account. Server 143 may represent an on-line investment company maintaining a fast-changing portfolio of investments and losses for the particular user. Server 144 may represent a banking company where the user has an individual retirement account (IRA). Server 145 may represent a mortgage company holding data about the users property portfolios. Each site presumably holds current account-status information and a financial history of transactions performed by a particular user.

To illustrate, assume that all financial data particular to one user is provided by or obtained from servers 141-145, aggregated in data repository 157, and updated periodically. A user operating PC 163 may access portal interface 153 by way of Internet connection 161 and request a specific result that involves some or all of the data across multiple servers 141-145. One example would be a user-initiated command "calculate my current net-worth". The resulting meta-summarized report would inform a user of his or her calculated net-worth with all financial data from all financial data-sources (servers 141-145) analyzed in the process of answering the user query.

In this case DBRE 155 utilizes only data that is already aggregated in repository 157. Therefore, it is not specifically required that GSS 159 navigate on behalf of the user in a case where data held in aggregation is current and sufficient to satisfy a user request. However, if a user's particular request, such as the one stated in the above example, requires navigation to one or more of servers 141-145, GSS 159, using site logic provided by KW 167, would navigate to each required site and retrieve the required data. After the required data is aggregated in repository 157, DBRE 155 may analyze the aggregated data and generate an accurate report from the aggregated data based on a user's request.

It will be apparent to one with skill in the art that providing a unique engine such as DBRE 155 on a user-side of repository 157 saves precious bandwidth resource required by individual site navigation and return of data ordered by a user. Added storage space is required in repository 157 for the purpose of storing complete activity histories from multiple WEB services on behalf of users. However, adding such resource and saving bandwidth represents an intelligent implementation in light of the many techniques known in the art for compressing and archiving data. More detail about the function of DBRE 155 is presented below.

Fig. 8 is a block diagram illustrating additional detail, components and functions of DBRE 155 of Fig. 7 according to an embodiment of the present invention. DBRE 155 is a functional interface capable of obtaining, analyzing, and preparing data for presentation to a user. As such, it contains certain sub-modules responsible for performing certain required functions. For example, a control-logic module 171 is provided as part of DBRE 155 and adapted to parse and confirm a user's request as well as to insure that a user-selected presentation format is available and appropriate for the type of data result requested by a user. Such options are contained in an options

database 173 illustrated as connected to control module 171 by a double arrow representing bi-directional communication.

Options database 173 may be part of DBRE 155 as illustrated herein, or part of repository 157 and made accessible to DBRE 155. In the case of DBRE 155 maintaining its own databases such as options database 173, and a previously described database containing user histories across multiple accounts, then DBRE 155 would be resident in a machine having enough storage memory to hold all required data. Such a machine could be a processor/server. In another embodiment, all stored data is held in repository 157.

DBRE 155 also has a runtime engine 177, which performs data analyzing and calculation in order to form specific data results or solutions for users based on user request. Engine 177 has access to all of the mathematical tools and system knowledge required to perform its objectives which can vary considerably. A knowledge base (not shown) may be used as a source of intelligence for engine 177 as is generally known in the art of configuration models.

Engine 177 performs a wide variety of mathematical functions including such as statistical analysis, summing, averaging, and so on. In one embodiment, algebraic, geometric, and trigonometric functions are also provided for performing more complex calculations. In most cases however, user requests will be geared more toward averaging, summing, predicting probabilities, deriving percentages, and so on. For example, summing multiple bank balances would be a common task. Analyzing on-line spending trends across multiple on-line shopping services would be another example of a common task. A more complicated report might compare shopping trends with income potential and produce a ratio figure along with

recommended ways to improve on the ratio without sacrificing needed goods. There are many possibilities.

A graphics user interface (GUI) module 181 is provided within DBRE 155 and adapted to prepare data according to requested format and a requesting display type. GUI module 181 has knowledge of which presentation option was selected from options database 173, and knowledge of the parameters (hardware and software platform) of a particular device or station that will receive a report. It is not required that a report be directed back to an originating device. In some embodiments, a user may direct a meta-summary report to alternative receiving devices over different mediums. This assumes, of course, that the receiving devices and data networks are known to the system.

In practice of the present invention, a user initiates a request illustrated herein as an arrow labeled input to a pre-configured request 169 from such as his or her browser interface. Request 169 is parsed for meaning in control-logic module 171. If there is an error detected in the original request 169, such as missing information or an option selection that is not available, then an error report is immediately sent back to that user as illustrated by the arrow labeled error report. Control-logic module 171 may check options database 173 to determine if an unavailable option was selected and present an alternative available option back with the error report.

Once module 171 has confirmed a request and confirmed a presentation option, it accesses a guard (GI) 175 resident on the client side of such as repository 157 of Fig. 7 to see if there is enough current data stored therein to enable formulation of a valid result. Data obtained from repository 157 of Fig. 1 by way of database interaction is included in guard 175 and passed to engine 177 for processing. If however, a required portion

5 All of the data required to return a requested report is funneled into runtime engine 177. All of the appropriate calculations are performed and the resulting data illustrated herein as raw data-results 177 is passed into GUI module 181. GUI module 181 then prepares the result data for presentation to a user illustrated herein as an arrow labeled output.

15 In the example presented above, DBRE 155 is a multi-functional module that may be broken down into cooperating sub-modules. However, this is not required to practice the present invention. One with skill in the art will recognize that there are other orders of modules and distribution paths that may be utilized to accomplish the same function. For example, DBRE
20 155 (Fig. 7) may interface directly with GSS 159 (Fig. 7) instead of being enhanced for gathering from aggregated data. In this case GSS 159 would first check repository 157 before determining if navigation is required. In another embodiment navigation may be required by default to insure that all data in aggregation is current. There are many possibilities.

Fig. 9 is a process flow diagram illustrating logical user and system steps from initialization to completion of a meta-summarized report according to an embodiment of the present invention. At step 183, a user initiates a meta-summary report request from such as PC 163 of Fig. 7 using

a browser/portal interface. A request might be to sum all of my interest earnings from all of my interest bearing accounts over a 1-year period and return a monthly average. In a preferred embodiment such a request may be made in a "natural language" understood by the portal software.

5 At step 185, control logic registers and confirms feasibility of the original request. This step includes parsing the request, confirming a presentation option, confirming presentation delivery parameters (software, hardware, medium) and so on. Once a request is approved for action, a data gatherer at step 187 accesses the database, such as in repository 157 (Fig. 7)
10 for required data. Such a gatherer, termed a bot by the inventor, may be part of DBRE 155 as illustrated in Fig. 8, or part of GSS 159 of Fig. 7.

 At step 189 it is determined whether or not there is sufficient data available in aggregation to complete the request. If the decision is yes, then the required data is extracted from the database (DB) in step 191. At step
15 193 the extracted data is processed according to tools that accomplish the user's request, which is a solution-orientated result. Text records of processing may also be forwarded to a user if requested. In this way a user might review several steps taken to arrive at a solution-oriented result.

 At step 193, the raw result data is prepared according to user-
20 requested presentation options in such as GUI module 181 of Fig. 8. A presentation option may consist of simple text results appearing on a user's portal home page. In one embodiment, a separate WEB page may be constructed that displays varied versions of the same result such as a time chart, a text paragraph explaining the chart, and a table reflecting result
25 values. A meta-summary dealing with an averaged interest rate, as described in an example above, may be presented in a variety of ways. For example, each account and individual result may be listed, followed by a summed result over a particular time span, followed by an average figure over a

smaller increment of time. There are no limits to presentation possibilities as long as the appropriate software containers are supported at both ends of the interaction. In most cases, a browser interface supporting full interactive function will be utilized. In step 197, the prepared GUI data is sent to a requesting user such as one operating PC 163 of Fig. 7 over an Internet connection such as connection 161. It should be noted here again that many devices are capable of effecting an interface with DBRE 155 of Fig. 8 and receiving result data. The success of configuring varied devices to the system will depend on provided network and data interfaces.

If in step 189 it is determined that there is not enough data or the right kind of data already in aggregation to complete a request, then the request is passed over to a GSS, such as GSS 159 of Fig. 7 in step 199. In one embodiment gathering is the sole responsibility of GSS 159 as has already been described. In step 201 site logic templates are obtained from such as a KW operating a PC such as PC 167 of Fig. 7. If the navigation templates required are the same as templates that have been previously used, then such templates may be obtained from a connected data store.

At step 203, a GSS such as GSS 159 of Fig. 8 navigates to and extracts data from required WEB sites in order to complete the aggregated data store on behalf of the requesting user. At step 205, the data is passed into aggregation in a database assigned for the purpose in such as repository 157. After all of the required data has been aggregated in step 205, steps 191 through 197 are repeated.

It will be apparent to one with skill in the art that the process steps described above represent a mostly automated or completely automated process. Moreover, there may be other sub-routines added without departing from the spirit and scope of the present invention such as adding a user notification step in the event that in step 189, data is insufficient.

It will also be apparent to one with skill in the art that a process routine such as the one described herein may be altered according to an alternate operating environment without departing from the spirit and scope of the present invention. For example, if a user is interfacing from a wireless device through such as a data center network interface, then added steps may be required to convert data to a format understood on a different network. There are many diverse applications.

Fig. 10 is a representative view of an actual screen shot 207 of a meta-summarized report 209 on display in a user's browser interface according to an embodiment of the present invention. In a more common implementation of the present invention, a user interfaces with such as a portal server by utilizing a common browser interface, many brands of which are known in the art and readily available. In this particular example, a Microsoft™ browser application known as the Internet Explorer™ (IE) is used. However the system of the present invention works with any software interface capable of navigating a data packet network.

Summary report 209 consists of individual bank, investment and account listings complete with the names of the institutions. Summaries of the individually reported information for both bank accounts and stock accounts are found beneath each group listing. Report 209 is a rather simplified example of many graphical possibilities and presentation methods. Depending on the complexity of a request, a meta-summarized report may contain virtually any type of presentation mediums. Some examples include, but the invention is not limited to, Gant charts, time graphs, pie charts, flow charts, text summaries, and so on. In another embodiment, a summarized report may contain interactive options for looking at the same data in different ways, or even calculating further results from the results presented. A user has many options when accomplishing interface with the

system of the present invention through a fully functional browser application installed on a powerful PC. Interface through other devices such as personal digital assistant's, cellular telephones, and the like will obviously limit presentation options, however, the use of such devices for interface is possible and may, in some situations, be preferred. Such situations may be business meetings, interviews, and other situations wherein a user may need to access some summary data, but does not have access to his personal computer station. Moreover, such data may be previously ordered and sent to a place other than at his or her personal computer. With appropriate interface to telephony networks, such information may, if directed by a user, be faxed to a meeting place, e-mailed to an associate's e-mail address, and so on. There are many diverse applications, many of which have already been stated.

Multiple Point-Of-Access Summary Interface

According to a preferred embodiment of the present invention, an interactive software interface suite is provided and packaged to enable multipoint access to deeper levels of summary data as well as transaction and direct account access capabilities.

Fig. 11 is an exemplary screen shot of interactive interface suite 211 for enabling multipoint account management capabilities according to an embodiment of the present invention. Interface suite 211, termed a Dashboard by the inventors, provides a single interactive center for viewing summary data and for performing various transaction tasks related to data available through the interface. Interface 211 is described as a suite because it is composed of a plurality of sub-interfaces categorized in general by the type of data and functionality available through interaction with them. The

plurality of sub-interfaces forming interface 211 are, in this example, packaged in the form of a single dynamic Web page using hyper-text-markup-language (HTML).

Referring now to Fig. 10, interface 211 replaces interfaces 207 as a more functional, organized, and user-friendly interactive interface for receiving summary and solution-oriented data.

Referring now to Fig. 7, exemplary user 163 accesses services by interfacing with portal interface 153 via Internet access line 161. Interface 211 is adapted to be served to user 163 in the form of a Web page that has a dynamic nature meaning that it is continually updated with new information. Referring now to Fig. 8, database reporting-engine 155 provides the data preparation and calculative services necessary for enabling the enhanced display capabilities of interface 211 and related sub-interfaces.

In this example, interface 211 is made up of 9 sub-modules each module providing a different class of functionality. An Account Alerts module 213 is provided within interface 211 and adapted to display various types of user-configured alerts that may be applied to a wide range of user account types. A Net Worth module 215 is provided within interface 211 and adapted to report a user's net worth information as determined through calculation related to data associated with all of the user's financially related accounts, assets, and financial activities. Module 215 is illustrated in this example as presenting dynamic graphics in the form of pie charts describing a user's current assets and liabilities.

A bill Payment module 217 is provided within interface 211 and adapted for user configuration to report parameters related to bill payment. A Calendar module 219 is provided with interface 211 and adapted to hold all of a user's pending data-sensitive information. A Transaction Center module 221 is provided within interface 211 and adapted to list and

summarize all of a user's online and manually input transactions. A Communications module 223 is provided within interface 211 and adapted to report parameters associated with a user's online communications applications.

5 An Account Bookmarks module 225 is provided within interface 211 and adapted to list all of a user's Web services in the form of hyperlinks, which are enhanced with automatic login functionality (known to inventor). A Portfolio Tracker module 227 is provided within interface 211 and adapted to follow and report parameters related to the user's favorite stocks and other investment vehicles. A Travel Planning module 229 is provided within interface 211 and adapted to enable a user to initiate, create, and manage travel itineraries including all parameters related to ticket purchase, hotel accommodations, car rentals, and other related tasks.

All of sub-modules 213-229 are interactive in the sense that a user invokes each module in order to obtain more detailed information regarding the types and classes of dynamic data handled by the invoked module. Therefore, data visible on the "face" of each module represents initial summarized updates that are exploitable for further details.

In one embodiment, further interactive enhancement is included in sub-modules 213-229 that list service providers maintaining accounts for users. From within these modules, the actual login service pages of those entities are accessible through provision of the appropriate hyperlinks to those pages. In addition to providing direct access to a user's service-providing entities through modules 213-229, hyperlinks to one or more configuration utilities associated with one or more modules servicing a particular class or type of data may also be provided. Another enhancement provided by interface 211 is that various sub-modules exemplified herein are interlinked with each other through database reporting engine 155 of Fig. 8

Referring now back to Fig. 8, data input leading into request module 169 of database reporting engine 155 may contain configuration input and request data from one or more utilities (not shown) that may, in preferred embodiments, be accessible through interface 211 of Fig. 11. Output from GUI preparation module 181 is channeled for display into the proper sub-module or modules ordering the data. Any particular display characteristics provided as options are stored in options database 173 and the products of user pre-configuration.

Referring now back to Fig. 11, Account Alert module 213 informs a user upon initial display of interface 211 of, in this case, 5 new alerts related to various types of accounts. For example, a listed Wells Fargo™ balance is shown to have dropped below a \$200.00 balance threshold. Another listed alert informs a user that a Harry Potter© book ordered from Amazon™ has shipped. Alerts module 213 may be pre-configured to provide virtually any type of time or event-sensitive alert that a user may desire. By clicking on any of the listed alerts, a user may be hyper-linked to the appropriate submodule responsible for the detailed data and account entity associated with the alert.

Net Worth module 215 uses the calculative and logic functions provided by database reporting engine 155 of Fig. 8 to present a periodic report summary of a user's current net worth. In this example, both assets and liabilities are graphically illustrated and color-coded to individual categories of assets or liability. It is important to note herein, that data results presented in module 215 may be derived from virtually every online

account accessible to a user through interface 211. In one embodiment, the color-coded categories are interactive such that by clicking on them as hyperlinks sends a user to an appropriate sub-module wherein more detailed information is provided. Also in this embodiment, by clicking on one of the graphics, a pop-up display containing detailed report figures may be displayed. It is also noted herein, that all of the listed sub-modules 213-229 have interactive navigation arrows installed on their faces, the arrows providing navigation to more detailed levels of data which are displayed in secondary interfaces associated with the main module invoked. More detail regarding Net Worth module 215 is provided later in this specification.

Bill Payment module 217 informs a user, in this example, that he or she currently has 8 bills due within the next 15 days. By clicking on the provided navigation arrow, a more detailed account listing each bill by entity and account number and due date may be presented in a secondary interface associated with module 217. In this aspect, it is noted that the payment module 217 is interlinked with Calendar module 219 and may share overlapping data.

Calendar module 219 provides first, a summary of items to occur on the day accessed and items related to calendar events within the current running week. By clicking on the navigation arrow provided, a secondary interface is served containing a more detailed calendar display. More detail about Calendar module 219 will be provided later in this specification.

Transaction Center module 221 informs a user of new transactions occurring since the last time of access. In this case there are twelve new transactions noted. A maximum activity item is displayed on the face of Transaction Center module 221 and related to a particular account, in this case, a MasterCard™ account that has seen the most transaction activity during a pre-configured timeframe, or since the last time of access. Also

shown on the face of Transaction Center module 221, is a section listing last transactions. In this action, there are two transactions listed. A debit transaction is listed including an account provider and account number, the amount of the transaction, and the date of the transaction. A credit transaction is listed that includes the same account, amount, and date parameters of the debit transaction. By clicking on the navigation arrow provided on the face of Transaction Center module 221, a user may navigate to a secondary interface providing additional detail. More detail about Transaction Center module 221 will be provided later in this specification.

Communications module 223 alerts a user, in this case, of a quantity of new e-mails. In this case, there are fifteen new e-mails listed. In one embodiment the fifteen e-mails listed may be generic to one e-mail account. In another embodiment, the fifteen e-mails listed may source from various accounts. By clicking on the navigation arrow on Communications module 223, a secondary interface will appear containing listed accounts. By clicking on one of the accounts listed, a user may invoke that particular e-mail interface and receive any associated e-mails through that interface. If only one e-mail account is configured to Communications module 223, then clicking on the navigation arrow will simply bring up that account software.

Account Bookmarks module 225 provides a list of URLs to a user's registered accounts along with a date listing the last time each account was accessed. By clicking on the navigation arrow provided on the face of Account Bookmarks module 225, a user may invoke the secondary interface containing a more detailed rendering of account data.

Portfolio Tracker module 227 provides a summary view of the latest activity regarding a user's chosen stock symbols. Module 227 also provides a current summary regarding the top five stocks, in this example, contained in a user's stock portfolio. By clicking on the navigation arrow provided on

Travel Planner module 229 provides a tool for a user to invoke when it is desired to create travel plans. By clicking on the navigation arrow provided on the face of the interface, a user may invoke a secondary interface containing a configuration utility for ordering and submitting tasks related to purchasing airline tickets, booking a hotel room, arranging a car rental, and any other travel related tasks. It is noted herein, that secondary interfaces associated with the above-described modules are, in many embodiments, utilities wherein a user may create and submit requests for task performance related to the class of data covered by a particular module. In a preferred embodiment, such utility tools enable proxy performance of online tasks. Still, hyperlinks to actual web sites may also be provided such that a user may navigate to and manually perform a task at the actual site invoked.

It will be apparent to one with skill in the art that interface 211 and associated modules 213-229 may be provided of a different look and feel as well as of differing content and data classification without departing from the spirit and scope of the present invention. The unique capability loaded into interface 211 of enabling performance of various proxy tasks, integrating solution-oriented data between more than one module of interface 211, and providing site-access to associated sites through multiple points of entry represents a level of novelty not known in current-art or prior-art interfaces. Furthermore, the unique proxy capabilities performed by the data compilation, aggregation, and summary system, known to the inventor, are

fully accessible through interface 211 providing a level of user-friendliness heretofore not known in the art.

Fig. 12 is an exemplary screen shot of a secondary interface 231 invoked as a result of user interaction with module 219 of Fig. 11 according to an embodiment of the present invention. Secondary interface 231 is a detailed calendar utility accessible by invoking Calendar module 219 described in Fig. 11 above. Interface 231 is interactive according to a variety of provided options.

A resolution toolbar 235 is provided within interface 231 and adapted to enable a user to view various calendar resolutions of day, week, month, and year. In this example, interface 231 is displaying data associated with a particular calendar week (July 18-24, 2000) as indicated.

A time-sensitive calendar bookmark window 237 is provided within interface 231 and adapted to show the current day of the current month of the current year. An interactive ad button 239 is provided within interface 231 and adapted to enable a user to enter a new calendar item such as an appointment, task, or other pending item. By invoking ad button 239, an interactive utility (not shown) for making calendar additions appears. Such utility contains all of the required fields and dialog options necessary for making correct calendar additions for later display within interface 231.

A show-item option window 241 is provided within interface 231 and adapted to enable a user to select specific categories of calendar entries to view within interface 231. In this example, the categories auctions, shopping, travel, bills, banking, credit cards, and investments are listed within window 241. The only category not selected for view is the category of banking. Therefore, existing calendar entries for the remaining categories, which are selected, appear as visible within interface 231. It is noted herein that calendar items pertaining to all selected categories within window 241

are restricted to items pending within the week of July 18-24, 2000 has ordered by the options selected in resolution toolbar 235.

A summary view section 233 is provided within interface 231 and details actual pending calendar items existing within the time frame of July 18-24, 2000 as ordered by window 241 and toolbar 235. In this example, the summary view lists the time and day of each pending item along with a summary description of each item. It is noted herein that titles of entities associated to each pending item listed in section 233 are interactive in that by clicking on them, further detail about the pending item is displayed.

Calendar interface 231, in a preferred embodiment, is cross-linked with other modules such that data incorporated therein may be affected by actions performed in other modules. For example, if a user pays a bill through the payment module 217 of Fig. 11, and that particular bill was listed as a pending calendar item within interface 231, then the action of paying the bill through module 217 results in automatic deletion of the appropriate item entry in interface 231. Such interoperability is achieved through background application-program-interfacing (API) with database reporting engine 155 of Fig. 8.

Fig. 13 is an exemplary screen shot of a secondary interface 243 resulting from invocation of Transaction Center module 221 of Fig. 11 according to an embodiment of the present invention. Interface 243 is an interactive interface providing a more detailed summary view of transaction data associated with a user's registered accounts. Interface 243 may be thought of as an interactive utility that enables a user to categorize all online transactions as well as off-line transactions into a simple user interface. Interface 243 is both a summary reporting tool and a transaction entry utility.

It is noted herein that interface 243 is provided in the form of an HTML interface. In this example, all of the described interfaces are

displayed as HTML interfaces. However, this is not specifically required in order to practice the present invention. Interface 211 of Fig. 11 and all associated interface modules and secondary interfaces may be provided using other markup languages and programming techniques. Furthermore, much tailoring may be provided in order to adapt such interfaces to display in accordance to rules and protocols of a variety of data-access devices. For example, scaled-down versions for devices that use web clipper applications and many browsers can be provided.

Referring now back to Fig. 13, New Transactions Summary window 245 is provided within secondary interface 243 and adapted to display quantities of new transactions categorized to associated accounts. New transactions are identified, in this example, as any new transactions that have occurred since the last time of update or sense the last time of user access of interface 243. There are four accounts listed by title with each account associated with the specific quantity of associated new transactions discovered.

A scroll-down menu 247 is provided within secondary interface 243 and adapted to list all of the user's registered accounts in an interactive fashion such that selecting one of the items contained in menu 247 invokes a transaction history report exemplified herein by a history window 249.

Therefore, in this example there are five transactions associated with the selected account (Chase™ Visa™ Credit). In this example, the five detailed account transactions listed in window 249 by the five new transactions reported for the same account in window 245. It will be apparent to one with skill in the art that there may be more registered accounts listed in menu 247 than are shown in summary window 245 without departing from the spirit and scope of the present invention. In this example, window 249 simply details new transactions reported in window 245.

5

10

20

25

257 provides a more detailed view of a net worth report summarized with graphic pie charts on the face of module 215 of Fig. 11. In this view, the graphic pie charts of module 215 are visible within a provided graphics window 259. Window 259 represents a display option such as was described with reference to Fig. 8 and options a database 173. Other types of graphical representation may be utilized other than the pie charts exemplified herein. In this example, in addition to the pie charts and associated total figures, which are also represented on the face of module 215 as a summary view, actual percentages of data making up the charts are included. An Asset-Allocation window 264 is provided within interface 257 and adapted to list all of the data categories associated with asset computation and their respective totals. A Liability Mix window 263 is provided within interface 257 and adapted to list all of a user's personal financial liabilities considered in assessing a total liability. As can be seen in this example, Windows 264 and 263 are simply report mechanisms reflecting more detail associated with the graphic representation illustrated in window 259.

Net Worth interface 257 is a unique reporting vehicle that is able to provide a user with up-to-date renditions of that user's current net worth. Such a tool enables a user to modify his or her transactional behavior so as to benefit his or her total Net Worth. An interactive History button 265 is provided within interface 257 and adapted to enable a user to view net worth history over a span of time. Such a history report may be presented in the form of a graph indicating value on one axis and time on the other axis.

An interactive Financial Advice button 267 is provided within interface 257 and adapted to enable a user to obtain financial advice in the form of system recommendations and/or advice from a live financial consultant having access to the user's portfolio and transactional data. An

interactive Transfer Funds button 269 is provided within interface 257 and adapted as a utility in enabling the user to engage in funds transfer activity associated with registered accounts. It is noted herein that funds transfer activities initiated from invocation of button 269 are assumed to be tasks that are performed by proxy. Although it is not illustrated in this example, invocation of Transfer Funds button 269 provides an additional interface (not shown) that will contain all of the necessary dialogue fields for facilitating transfer of monies from one account to another. In one embodiment of the present invention invocation of Transfer Funds button 269 provides a list of accounts in the form of URLs. By clicking on these, a user may access those sites and perform manual transfer activities if so desired.

In one embodiment of the present invention, Net Worth module 215 of Fig. 11 is cross-linked with other related modules such that active bill paying, online purchasing, and payment on loans is automatically incorporated into computations for net worth reporting. As was described above, solution-oriented results may be computed from and reported to a variety of the modules described in Fig. 11.

Fig. 15 is an exemplary screen shot of a Portfolio Tracker window 271 resulting from invocation of Portfolio Tracker module 227 of Fig. 11. Interface 271 provides a more detailed rendition of the summary information reported on the face of module 227 of Fig. 11. A consolidated portfolio listing 273 is provided within interface 271 and consists of a user's stock symbols, company names, quantities of shares owned, price of individual shares, and estimated value total for each company. In this example, a solution-oriented result reflecting a summation of all of the estimated values of all of the owned stock is provided as a total position value.

An individual-holdings window 275 is provided within interface 271 and adapted to enable a user to view individual stock or investment holdings and also to navigate to actual sites maintaining the accounts as illustrated by the plurality of go buttons representing URLs. An options window 279 is provided within interface 271 and adapted to enable a user to choose only the data that he or she desires to track and view.

It will be apparent to one with skill in the art that interface 211 as illustrated and described in this specification provides all of the mechanisms for ordering, viewing, and manipulating all aspects of online, and some cases off-line user data through a single user interface accessible from an Internet-capable appliance. Data accessible through interface 211 is, in one embodiment, updated each time a user of the interface logs in. In another embodiment, data accessible through interface 211 is updated, in addition, by request termed a refresh action in the art. In still other embodiments, portions of the data accessible through interface 211 are updated by demand while other portions may be updated periodically. Still other portions of data accessible through interface 211 are continually updated in real-time. There are many possibilities.

It will also be apparent to one with skill in the art that interface 211 and functional modules provided therein or accessed thereby may be interfaced to a database reporting engine such as engine 155 of Fig. 8 by, for example, API methods, or to equivalent software functioning as database software resident on a machine having access to users aggregated data.

The method and apparatus of the present invention may be practiced via private individuals on the Internet, businesses operating on a WAN connected to the Internet, businesses operating via private WAN, and so on. There are many customizable situations. The present invention as taught

herein and above should be afforded the broadest of scope. The spirit and scope of the present invention is limited only by the claims that follow.

0969709-10700

What is claimed is:

1. A software suite for enabling viewing and manipulation of multiple categories of aggregated data compiled from a plurality of data sources and accessible through a single interface operated on a data-packet-network, the data sources available for direct network-access through multiple access points available from within the interface comprising:
 - a calendar module having at least one display interface for enabling viewing and manipulation of time and date-sensitive calendar data;
 - a transaction module having at least one display interface for enabling viewing and manipulation of financially oriented account data;
 - a portfolio tracking module having at least one display interface for enabling viewing and manipulation of investment oriented account data;
 - a net-worth reporting module having at least one display interface for displaying a solution-oriented net-worth report compiled from the aggregated data;
 - a bill-payment module having at least one display interface for enabling viewing and initiation of payment action regarding current billing data; and
 - an account-alert module having at least one display interface for reporting time and event sensitive account alerts related to changes in account data due to occurring events or pre-configured time parameters.
2. The software suite of claim 1, wherein the data-packet-network is the Internet network.

3. The software suite of claim 2, wherein the plurality of data sources comprise service-access points maintained by service-hosting entities offering services accessible through the Internet.
- 5 4. The software suite of claim 3, wherein the single interface is of the form of an HTML Web page served from a user-access point and downloaded by the accessing user to a Web browser.
- 10 5. The software suite of claim 4, wherein a personal computer is operated as a user-access device for accessing the HTML Web page.
- 15 6. The software suite of claim 4, wherein a handheld computer is operated as a user access-device for accessing the HTML Web page.
- 20 7. The software suite of claim 4, wherein the computational functions of the modules are enabled by a database reporting software communicating with the various modules through application-program-interface implementation.
- 25 8. The software suite of claim 7, wherein the multiple-access points are URLs embedded within the at least one interface associated with each of the plurality of modules.
9. The software suite of claim 8, further comprising:
 a communications module having at least one interface for reporting
 existence of new communications events;
 an account-bookmarks module having at least one interface for
 listing URLs of the plurality of data sources; and

a travel-planning module having at least one interface for enabling configuration and initiation of travel plans.

10. The software suite of claim 9, wherein the modules are selectively cross-linked with each other for purpose of enabling the modules to share reporting aspects of the aggregated data and for enabling the user navigation between the modules.

11. A network-based control system for controlling display, manipulation, and transaction parameters of aggregated data compiled from a plurality of data sources, the control capability extended through a single interface operated on a data-packet-network comprising:

a portal server operating on the network for enabling user-access to the system through the single interface, the single interface having a plurality of control and report modules for controlling categorization, viewing, reporting and manipulation aspects of the aggregated data;

a mass data repository for storing the aggregated data;

a database reporting software for accepting input from the software interface through individual ones of the control and report modules and for performing calculations, manipulations, and ordering transactions based on the received input; and

a user-access device connected to the network for accessing the portal server and receiving the single interface.

12. The network-based control system of claim 11, wherein the network is the Internet network.

13. The network-based control system of claim 12, further comprising multiple points of direct network-access to the plurality of data sources embedded into interfaces invoked by individual ones of the control and report modules.

5

14. The network-based control system of claim 13, wherein the aggregated data is personalized to an accessing user and limited to display in a personalized interface.

10

15. The network-based control system of claim 14, wherein the multiple points of direct network access comprise embedded URLs.

15

16. The network-based control system of claim 15, wherein the control and report modules available through the single interface are capable of initiating service of at least one additional interface associated with an invoked module, the additional interface providing a more detailed accounting of the categorized data associated with the invoked module.

20

17. The network-based control system of claim 16, wherein the control and report modules are selectively cross-linked with each other for the purpose of sharing reporting aspects of the aggregated data and for enabling user navigation between the modules.

25

18. The network-based control system of claim 17, wherein the user-access device is a personal computer.

19. The network-based control system of claim 17, wherein the user access-device is a handheld computer.

002207" 30785960

20. A method for enabling single-point control over various display,
reporting, computation, and transactional aspects of data aggregated on
behalf of the user from a plurality of data sources operating on a data-
packet-network comprising steps of:

(a) providing a network-interface vehicle having a plurality of control
and report modules embedded therein, the interface serving as the single-
point control apparatus;

(b) connecting the plurality of control and report modules to a
database reporting software through application-program-interface
implementation;

(c) providing additional display interfaces launch-able from individual
ones of the plurality of control report modules, the display interfaces
containing interactive links to utilities for configuring the aspects of data
display and for ordering transactions through the modules; and

(d) rendering the network-interface vehicle accessible to the user
operating a remote data-access device connected to the network.

21. The method of claim 20, wherein the data-packet-network is the
Internet network.

22. The method of claim 21 wherein in step (a), the network-interface
vehicle is of the form of an HTML Web page served from a user-access
point and downloaded by the accessing user to a Web browser.

23. The method of claim 22 wherein in step (d), the data-access device is a
personal computer.

24. The method of claim 22 wherein in step (d), the data-access device is a handheld computer.

25. The method of claim 22 wherein in step (b), the computational functions of the modules are enabled and performed by the database reporting software.

26. The method of claim 25 wherein in step (c), the additional display interfaces are linked to the individual control modules through hyperlinking.

27. The method of claim 26 wherein in step (c), the modules are selectively cross-linked with each other for purpose of enabling the modules to share reporting aspects of the aggregated data and for enabling the user navigation between the modules.

5 A software suite for enabling viewing and manipulation of multiple categories of aggregated data compiled from a plurality of data sources and accessible through a single interface operated on a data-packet-network is provided. The data sources are available for direct network-access through multiple access points available from within the interface. The software suite
10 comprises, a calendar module having at least one display interface for enabling viewing and manipulation of time and date-sensitive calendar data, a transaction module having at least one display interface for enabling viewing and manipulation of financially oriented account data, a portfolio tracking module having at least one display interface for enabling viewing and
15 manipulation of investment oriented account data, a net-worth reporting module having at least one display interface for displaying a solution-oriented net-worth report compiled from the aggregated data, a bill-payment module having at least one display interface for enabling viewing and initiation of payment action regarding current billing data and an account-alert module having at least one display interface for reporting time and
20 event sensitive account alerts related to changes in account data due to occurring events or pre-configured time parameters.




Fig. 1

37

39

41

43

45

32

35

34

Internet Portal.com (personalized page)

Search	Server Name	User Name	Password
Agent	LBC.com	John Doe	XXXXXXX
Last	My Bank.com	John R. Doe	XXXXXX
Update	My Stocks.com	John R. Doe	XXXXXXXXXX
ADD	My Shopping.com	Jane L. Doe	XXXXXXX
	Mortgage.Com	John/Jane Doe	XXXXXXXXXX
	Airline.com	John Doe	XXXXXXX

Search String 51

52

Fig. 2




Fig. 4




Fig. 5

Fig. 6




Fig. 7




Fig. 8




Fig. 9

207




Fig. 10




Fig. 11




Fig. 13

271 →




Fig. 15

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

ATTORNEY DOCKET NO. P3937

As a below named inventor, I hereby declare that: My residence, post office address and citizenship are as stated below next to my name. I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: **Interactive Activity Interface for Managing Personal Data and Performing Transactions Over a Data Packet Network**

the specification of which (check one) ☒ is attached hereto.
☐ was filed on:
☐ Application Serial No.
☐ and was amended on
(If applicable)

I hereby state that I have reviewed and understood the contents of the above-identified specification, including the claims, as amended by any amendment referred to above. I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, s 1.56 (a). In the case that the present application is a continuation-in-part application, I further acknowledge the duty to disclose material information as defined in 37 CFR s 1.56(a) which became available between the filing date of the prior application and the filing date of the present application. I hereby claim foreign priority benefits under Title 35, United States Code s119 of any foreign applications for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)

(Number) (Country) (Day/Month/Year Filed)

(Number) (Country) (Day/Month/Year Filed)

I hereby claim the benefit under Title 35, United States Codes, 120 and 119 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, s112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, s156(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application.

(Application Serial No.): 09/425,626 (Filing Date): 10/22/1999 (Status): pending

(Application Serial No.): 09/323,598 (Filing Date): 06/01/1999 (Status): pending

(Application Serial No.): 09/208,740 (Filing Date): 12/08/1998 (Status): pending

(Application Serial No.): _____ (Filing Date): _____ (Status): _____

(Application Serial No.): _____ (Filing Date): _____ (Status): _____

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.
(List name and registration number)

Name: Donald R. Boys

Reg. No. 35,074

SEND CORRESPONDENCE TO:

Donald R. Boys
P.O. Box 187
Aromas, CA 95004

DIRECT TELEPHONE CALLS TO:

Donald R. Boys (831) 726-1457

002201" 80/86950

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of sole or first inventor: Srihari Kumar

1st inventor's signature: _____ Dated: _____
Residence: 3475 Granada Avenue, #320, Santa Clara, CA 95051 Citizenship: Indian
Post Office Address: Same

Full name of 2nd joint inventor, if any: Satven Desai

2nd inventor's signature: _____ Dated: _____
Residence: 3815 Susan Drive, Apt N-11, San Bruno, CA 94066 Citizenship: Indian
Post Office Address: Same

Full name of 3rd joint inventor, if any: John Kelley

3rd inventor's signature: _____ Dated: _____
Residence: 107 Primrose Way, Palo Alto, CA 94303 Citizenship: US
Post Office Address: Same

Full name of 4th joint inventor, if any: Blake Earl Hayward

4th inventor's signature: _____ Dated: _____
Residence: 3600 Bridge Park Way 2nd Floor, Redwood Shores, CA, 94065 Citizenship: US
Post Office Address: Same

Full name of 5th joint inventor, if any: Jenny Scott

5th inventor's signature: _____ Dated: _____
Residence: 3600 Bridge Park Way 2nd Floor, Redwood Shores, CA, 94065 Citizenship: US
Post Office Address: Same

Full name of 6th joint inventor, if any: Senthil Kumar Pandurangan

6th inventor's signature: _____ Dated: _____
Residence: 625 Teatree Ct, San Jose, CA 95128 Citizenship: Indian
Post Office Address: Same

Full name of 7th joint inventor, if any: _____

7th inventor's signature: _____ Dated: _____
Residence: _____ Citizenship: _____
Post Office Address: _____

Full name of 8th joint inventor, if any: _____

8th inventor's signature: _____ Dated: _____
Residence: _____ Citizenship: _____
Post Office Address: _____

002201" 80285950